

# HOUSTON WAREHOUSE STOCK


Adams Warehouse & Delivery







3701 Yale St.








Houston, TX 77018


Phone: (832) 410-4268


CONTACT LESCO AT PH: 713-923-7781 FOR MORE INFORMATION









Product Family	Catalog Number	Descriptions	Replaces Up To (LED ONLY)	Lamps/ Lumens	Input Watts	CCT (LED ONLY)
<b>Commercial Indoor</b>						
 PT Lay In	PT2U MV	2-Lamp, 2x2 Recessed, Static w/ Electronic, Instant Start Ballast	-	32W U-Lamp	32	-
	PT3 MV	3-Lamp, 2x4 Recessed, Static w/ Electronic, Instant start ballast	-	32W Lamp	32	-
 GT Lay In	GT2U MV	2-Lamp, 2x2 Troffer w/ Electronic, Instant Start Ballast	-	32W U-Lamp	32	-
	GT3 MV	3-Lamp, 2x4 Troffer w/ Electronic, Instant Start Ballast	-	32W Lamp	32	-
	GT4 MV	4-Lamp, 2x4 Troffer w/ Electronic, Instant Start Ballast	-	32W Lamp	32	-
 <b>NEW!</b> EPANL LED Flat Panel	EPANL 22 34L 35K	2x2 Flat Panel LED	2-Lamp 17W T8	3,400	31.3	3500K
	EPANL 22 34L 40K			3,400	30.8	4000K
	EPANL 24 40L 40K	2x4 Flat Panel LED	3-Lamp 32W T8	4,000	38.9	4000K
	EPANL 24 40L 35K			4,000	38.8	3500K
 <b>NEW!</b> EPANL SURFACE MOUNT KIT	2X2SMK	2x2 Flat Panel LED Surface Mount Kit	2-Lamp 17W T8	-	-	-
	2X4SMK	2x4 Flat Panel LED Surface Mount Kit	3-Lamp 32W T8	-	-	-
 GT LED Lay In	2GTL2 3700LM LP840	2'x2' LED Lay-In Troffer	2 U-Bent 32W T8	3,350	32.3	4000K
	2GTL2 3700LM EL14L LP840	2'x2' LED Lay-In Troffer, Emergency Battery		3,350	32.3	4000K
	2GTL4 4400LM LP840	2'x4' LED Lay-In Troffer	2-Lamp 32W T8	4,430	34.5	4000K
	2GTL4 4400LM EL14L LP840	2'x4' LED Lay-In Troffer, Emergency Battery		4,430	34.5	4000K
 BLT LED Center Basket	2BLT2 33L ADP LP835	2'x2' Center Basket LED Lensed Troffer	2-Lamp 17W T8	3,240	30	3500K
	2BLT2 33L ADP LP840			3,310	30	4000K
	2BLT2 33L ADP EL14L LP835	2'x2' Center Basket LED Lensed Troffer, Emergency Battery	2-Lamp 17W T8	3,240	30	3500K
	2BLT2 33L ADP EL14L LP840			3,310	30	4000K
	2BLT4 46L ADP LP835	2'x4' Center Basket LED Lensed Troffer	3-Lamp 32W T8	4,520	38.3	3500K
	2BLT4 46L ADP LP840			4,620	38.3	4000K
	2BLT4 46L ADP EL14L LP835	2'x4' Center Basket LED Lensed Troffer, Emergency Battery	3-Lamp 32W T8	4,520	38.3	3500K
	2BLT4 46L ADP EL14L LP840			4,620	38.3	4000K










Product Family	Catalog Number	Descriptions	Replaces Up To (LED ONLY)	Lamps/ Lumens	Input Watts	CCT (LED ONLY)
 AV CF Center Basket	2AV G 2 CF40 MDR MVOLT GEB10RS	2-Lamp , 2x2, T5, Compact Fluorescent Center Basket	-	40W T5	40	-
 AV T8	2AV G 2 32 MDR MVOLT GEB10IS	2-Lamp , 2x4, T8 Center Basket	-	32W Lamp	32	-
	2AV G 3 32 MDR MVOLT 1/3 GEB10IS	3-Lamp , 2x4, T8 Center Basket	-	32W Lamp	32	-
	2AV G 3 32 MDR MVOLT GEB10IS	3-Lamp , 2x4, T8 Center Basket	-	32W Lamp	32	-
	2AV G A 3 32 MDR MVOLT 1/3 GEB10IS	3-Lamp , 2x4, T8 Center Basket w/ Air Handling	-	32W Lamp	32	-
 AVL LED Center Basket	2AVL2 30L MDR EZ1 LP840	2'x2' Center Basket LED Lensed Troffer	2-Lamp 17W T8	2,734	36	4000K
	2AVL2 40L MDR EZ1 LP840			3,848	57	4000K
 AVL LED Center Basket	2AVL4 40L MDR EZ1 LP840	2x4 Center Basket LED Lensed Troffer	3-Lamp 32W T8	4,161	48	4000K
 SB T8	SB232 MV	4' T8 Wraparound	-	32W Lamp	32	-
 SB LED Wraps	SBL4 LP840	4' LED Wraparound	2-Lamp 32W T8	3,994	32	4000K
	SBL4 LP835			3,993	32	3500K


Product Family	Catalog Number	Descriptions	Replaces Up To	Lamps / Lumens	Input Watts	CCT (LED ONLY)
<b>Industrial High &amp; Low Bays</b>						
 2', 4' & 8' Strip	C217 MV	2-Lamp, 2' T8 General-Purpose Strip	-	17W Lamp	17	-
	C232 MV	2-Lamp, 4' T8 General-Purpose Strip	-	32W Lamp	32	-
	TC232 MV	4-Lamp, 8' T8 General-Purpose Strip	-	32W Lamp	32	-
 4' Low Profile	Z 2 54T5HO MVOLT GEB10PS	2-Lamp, 4' T5 Low-Profile Strip	-	54W Lamp	54	-
 4' Industrial	L232 MV	2-Lamp, 4' T8 Industrial Strip	-	32W Lamp	32	-
 4' & 8' LED Mini Strip	MNSL L48 2LL MVOLT 40K 80CRI M6	4' Mini LED Strip Light	2-Lamp 32W T8	4,500	50	4000K
	MNSL L96 2LL MVOLT 40K 80CRI	8' Mini LED Strip Light	4-Lamp 32W T8	8,200	90	4000K
 4' & 8' LED Strip	CDS L48 MVOLT DM 40K 80CRI WH	4' LED Strip Light	4-Lamp 32W T8	4,210	38	4000K
	CDS L96 MVOLT DM 40K 80CRI WH	8' LED Strip Light	4-Lamp 32W T8	9,010	77	4000K
 6-Lamp	IBZT5 6L	6-Lamp, T5 Fluorescent High Bay, Electronic Program Start Ballast	-	54W Lamp	54	-
 LED Highbay	IBG 18L MVOLT	LED Bay Light	400W MH, 4-lamp TSHO, 6-lamp T8	17,329	146	4000K
	IBG 24L MVOLT		6-lamp TSHO, 8-lamp T8	23,000	221	4000K

Product Family	Catalog Number	Descriptions	Replaces Up To	Lumens	Input Watts	CCT (LED ONLY)
<b>Downlighting Housings LED</b>						
 IC / TC LED Housing	IC22LED G4 06LM 35K 90CRI 120 FRPC	6" LED New Construction Downlight, 120V	65W Incandescent	600	10.8	3500K
	IC22LED G4 09LM 35K 90CRI MVOLT ZT	6" LED New Construction Downlight, MVOLT		900	11.8	3500K
	TC22LED G4 14LM 35K 90CRI MVOLT ZT	6" LED New Construction Downlight, MVOLT	75W Incandescent	1,400	16.3	3500K
	TC22LED G4 14LM 40K 90CRI MVOLT ZT			1,400	16.3	4000K

Product Family	Catalog Number	Descriptions	Color	Finish		
<b>LDN Downlighting LED</b>						
 6" Round Housing & Trim	LDN6 40/20 MVOLT EZ10 HSG	6" Round LED New Construction Downlight	-	-		
	LO6AR LSS TRIM	LDN6 Round, Open Trim	Clear	Semi-Specular		

Product Family	Catalog Number	Descriptions		Lamp Source	IC Rated	Air Tight
<b>Incandescent Housing</b>						
 6" IC Rated NC	V6IC W G	6" Round IC Housing w/ Wago & Gasket	New Construction	Incandescent	Yes	Yes
	IC23 W	6" Universal Airlloc IC Housing w/ Wago	New Construction	Incandescent	Yes	Yes
	IC22 W	6" Universal Airlloc IC Housing w/ Wago	New Construction	Incandescent	Yes	Yes
 6" IC Rated Remodel	V6ICR W	6" Round IC Housing w/ Wago	Remodel	Incandescent	Yes	Yes
	IC22R	6" Universal IC Housing	Remodel	Incandescent	Yes	Yes
	SP36611WG	6" Universal IC Housing w/ Wago & Gasketed Pack	Remodel	Incandescent	Yes	Yes
 6" IC Rated Wall	6VF 26-42TRT MVOLT	6" Wallwash Housing w/ Reflector	Remodel	Compact Fluorescent	No	No
 6" IC Rated NC Slope	SP3662WG	6" Universal IC Sloped Housing w/ ALG926 Gasketed Pack	New Construction	Incandescent	Yes	Yes
 6" IC Rated Shallow	IC21 W	6" Shallow Universal IC Housing	New Construction	Incandescent	Yes	Yes
	IC1 W G	6" IC Housing w/ Wago	New Construction	Incandescent	Yes	Yes
 5" IC Rated	IC20 W G	5" Universal Airlloc IC Housing w/ Wago & ALG5 Gasket	New Construction	Incandescent	Yes	Yes
 4" IC Rated	V4IC W	4" IC Housing w/ Wago	New Construction	Incandescent	Yes	Yes
 4" Rated	V4TC W	4" Housing w/ Wago	New Construction	Incandescent	No	Yes
	V4TCR W		Remodel	Incandescent	No	Yes









Product Family	Catalog Number	Descriptions	Compatible Housing	Baffle Color	Trim Ring Color
<b>Downlight Trims</b>					
 6" Conical Baffle	V3024 W WH	6" Round Baffle Trim	V6IC W V6ICR W V6TC W V6TCR W IC22 IC22R	White	White
	V3024 B WH			White	Black
 6" Round Baffle	V3034T W WH	6" White Baffle Trim w/ Torsion Springs	V6ICW V6ICRW V6TCW V6TCRW IC22 IC22R IC23	White	White
	V3034TB WH			White	Black
 6" Eyeball	V3029 WH	6" Round Eyeball Trim		-	White
 6" Shower	V3040N PW	6" Round Stippled Opal Lens Shower w/ Reflector Trim		-	White
	V3020 PW	6" Round Stippled Opal Lens Shower Trim	V6TCW V6TCRW	-	White
 6" Baffle	24 WWH	6" Round Baffle Tapered Trim	IC22 IC22 R IC22LED TC22LED	White	White
 6" Cone	27 CWH	6" Downlight Tapered Cone Trim		Clear	White
	27 HZWH			Haze	White
 4" Baffle	V4034W WH	4" Baffle Trim	V4ICW V4TCW V4TCRW IC1 TC1 TC1R	White	White
	V4034 BWH			White	Black
 4" Shower	V4012 WH	4" Round Stippled Opal Lens Shower w/ Reflector Trim		-	White
 4" Eyeball	V4018 WH	4in Round Eyeball Trim		-	White

Product Family	Catalog Number	Descriptions	Replaces Up To	Lumens	Input Watts	CCT (LED ONLY)
<b>LED MODULES</b>						
 4" Retrofit	4BEMW LED 30K M4	4" Baffle LED Module	65W Incandescent	570	10.3	3000K
 5/6" Retrofit	65BEMW LED 30K M6	5"/6" Baffle LED Module	65W Incandescent	687	11.9	3000K
	65BEMW LED 40K M6			711	11.9	4000K
 6" Retrofit	6BPMW HL LED 30K 90CRI M6	6" Baffle LED module, Matte White	75W Incandescent	950	16.4	4000K
 4" Wafer-Thin Retrofit	WF4 LED 30K MW M6	4" Wafer-Thin LED, Housing-Free, Recessed Downlight	50W Incandescent	680	9.6	3000K
	WF4 LED 40K MW M6			770	10	4000K
 6" Wafer-Thin Retrofit	WF6 LED 30K MW M6	6" Wafer-Thin LED, Housing-Free, Recessed Downlight	100W Incandescent	1,020	13	3000K
	WF6 LED 40K MW M6			1,200	13.6	4000K
 LED Speaker Light	6SL RD 07LM 30K 90CRI MW M6	LED Speaker Downlight	60W Incandescent	720	12	3000K
	6SL RD 07LM 40K 90CRI MW M6		60W Incandescent	730	13	4000K

Product Family	Catalog Number	Descriptions	Input Watts	Voltage	Battery Included?
<b>LIFE SAFETY</b>					
LED Exits	EXR LED M6	LED Exit, Red, AC Only	0.8	120/277	NO
	EXR LED EL M6	LED Exit, Red, Battery Back-up	0.8	120/277	YES
	LQM S W 3 R 120/277 EL N M6	LED Exit, Red, Battery Back-up	1	120/277	YES
LED Edge-lit	EDG 1 R EL M6	Surface Mount LED Exit	3.1	120/277	YES
	EDG 2 RMR EL M6	Surface Mount LED Exit	3.1	120/277	YES
	EDGR 2 RMR EL M4	Recessed Mount LED Exit	4.5	120/277	YES
LED Emergency	EU2 LED M12	Emergency Lighting	1.8	120/277	YES
LED Combo	ECR LED M6	LED Combo, Red, Battery Back-up	3.8	120/277	YES
	LHQM LED R M6		1.5	120/277	YES
Emergency w/ Lamp Heads	WLTU LED	Emergency light w/ LED Lamp Heads	2.7	120/277	YES
	WLTU GY MR	Wet Location Emergency Light	6.2	120/277	YES
Flourescent Battery Packs	EI500 M12	500 Lumen Fluorescent, Battery Pack	2.3	120/277	YES
	PSQ500QD MVOLT M12	500 Lumen Fluorescent, Battery Pack w/ Quick Disconnect	2.5	120/277	YES
	PS600QD MVOLT M12	600 Lumen Fluorescent Battery Pack w/ Quick Disconnect	3	120/277	YES
	PS1400QD MVOLT M8	1400 Lumen Fluorescent Battery Pack w/ Quick Disconnect	3.3	120/277	YES
<b>NEW!</b> LED Battery Pack	PS1050 FIK M12	1050 Lumen LED Constant Power Battery Pack	3.3	120/277	YES

Product Family	Catalog Number	Descriptions	Detection Type	Coverage	Voltage
<b>Occupancy Sensors &amp; Power Packs</b>					
Mini Power Pack	MP20	Mini Power Pack	-	-	120/277
Power Pack	PP20	Power Pack	-	-	120/277
Occupancy Sensors	CM PDT 9	Ceiling Mount Sensors	Passive Dual Technology (PDT)	Small Motion 360°	120/277
	CM PDT 10		Passive Dual Technology (PDT)	Small Motion 360°	120/277
Extended Range Occ Sensor	CMR PDT 9		Passive Dual Technology (PDT)	Large Motion 360°	120-347
	CMR PDT 10		Passive Dual Technology (PDT)	Large Motion 360°	120-347

Product Family	Catalog Number	Descriptions	Detection Type	Pole	Color
<b>Wall Switches</b>					
Wall Switch	WSX PDT SA WH	Wall Switch, Manual On	Passive Dual Technology (PDT)	1-POLE	WHITE
	WSX PDT D SA WH	Wall Switch w/ Dimming	Passive Dual Technology (PDT)	1-POLE	WHITE

Product Family	Catalog Number	Descriptions	Replaces Up To	Lamps / Lumens	Input Watts	CCT (LED ONLY)
<b>OUTDOOR</b>						
 OLF LED	OLF 2RH 40K 120 MO BZ	2-Head LED Security Floodlight w/ Motion Sensor and Photocell	(2) PAR38 60W Halogen	2160	25.4	4000K
	OLF 2RH 40K 120 MO WH		(2) PAR38 60W Halogen	2160	25.4	4000K
 OVFL LED Floodlight	OVFL LED 1RH P1 40K 120 DDB HP17 M6	Single Head LED Security Floodlight w/ Photocell	(1) PAR38 60W Halogen	948	13	4000K
	OVFL LED 2RH 40K 120 PE DDB HP17 M4	2-Head LED Security Floodlight w/ Photocell	(2) PAR38 60W Halogen	1,770	20	4000K
	OVFL LED 2RH 40K 120 PE WH HP17 M4		(2) PAR38 60W Halogen	1,770	20	4000K
 OVWP LED	OVWP LED 40K 120 PE DDB HP17 M4	LED Mini Wall Sconce	70W MH	1,242	14.1	4000K
	OVWP LED 40K 120 PE WH HP17 M4		70W MH	1242	14.1	4000K
 OFM LED Canopy <b>NEW!</b>	OFM LED P1 50K MVOLT DDB HP17 M4	LED Canopy	150W MH	4,200	47	5000K
 OLMF LED Flood Light <b>NEW!</b>	OLMF P1 40K 120 DDB HP17 M4	LED Security Flood Light	300W Halogen	2,500	28	4000K
 DSXF1 LED	DSXF1 LED P1 50K	Size 1, LED Floodlight	70W MH	3,058	21	5000K
	DSXF1 LED P2 50K		150W MH	5,579	42	5000K
 Small, HID Flood	TFL 250M TA2 TB SCWA LPI	Small Floodlight		250W MH Lamp	250	-
	TFL 250M TA2 TB SCWA IS LPI			250W MH Lamp	250	-
 Medium, HID Flood	TFL 400M RA2 TB SCWA LPI	Medium Floodlight		400W MH Lamp	400	-
	TFL 400M RA2 TB SCWA IS LPI			400W MH Lamp	400	-

	Small, LED Flood	OFL1 LED P1 50K MVOLT THK DDBXD M4	Size 1, LED Floodlight	70W MH	2,140	23	5000K
		OFL1 LED P2 50K MVOLT THK DDBXD M4		150W MH	3,980	49	5000K
	Large, LED Flood	OFL2 LED P2 50K MVOLT IS DDBXD M2	Size 2, LED Floodlight	250W MH	10,260	121	5000K
		OFL2 LED P2 50K MVOLT YK DDBXD M2		250W MH	10260	121	5000K
		OFL2 LED P3 50K MVOLT IS DDBXD M2		400W MH	14,510	183	5000K
		OFL2 LED P3 50K MVOLT YK DDBXD M2		400W MH	14,510	183	5000K
	Low Profile LED	OLWX1 LED 40W 50K M4	Low Profile LED Wall Pack	250W MH	4,080	37	5000K
	LED Wallpack	TWS LED P1 50K 120 PE BZ M4	LED Wall Pack	42W CFL, 70W HPS	1,480	25	5000K
	LED Wallpack,	TWR1 LED 2 50K MVOLT M2	LED Wall Pack, Glass Lens	320W MH	4,190	40	5000K
		TWR1 LED 3 50K MVOLT M2	Medium Non-Cutoff Wall Pack	350W MH	5,390	49	5000K
	Medium Wallpack	TWR2 400M TB SCWA LPI	Medium Non-Cutoff Wall Pack	400W MH	5,695	49	5000K
	Medium Wallpack	TWR2 LED 1 50K MVOLT DDB M2	LED Wall Pack, Glass Lens	400W MH	7,900	68	5000K